

# MATERIAL SAFETY DATA SHEET

## SECTION 1 - CHEMICAL PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME: TRAMFLOC® 1138

DATE ISSUED: 06/01/04

SUPERSEDES: 05/07/99

DESCRIPTION: Defoamer for paint and latex systems.

### COMPANY IDENTIFICATION:

Tramfloc, Inc.

P. O. Box 350

Tempe, AZ 85280-0350

480-491-6895

EMERGENCY TELEPHONE: 24 hours a day, 7 days a week; CHEMTREC, 800-424-9300

## SECTION 2 - COMPOSITION/INFORMATION on INGREDIENTS

CAS No. Chemical Identity; Organic Defoamer/Antifoam, mineral oil based.

Proprietary All ingredients in this product are listed in the TSCA inventory and on the Canadian DSL. This product is considered non hazardous according to OSHA and meets 21CFR 173.340(a)(1) and (2).

## SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW - Hazy amber liquid with hydrocarbon odor. Irritating to the eyes and skin. Can be irritating to the respiratory tract in large doses.

EFFECTS OF OVEREXPOSURE - EYES: May cause mild transient irritation resulting in redness and weeping.

EFFECTS OF OVEREXPOSURE - SKIN: May cause slight irritation with repeated or prolonged contact.

EFFECTS OF OVEREXPOSURE - INHALATION: Overexposure may lead to irritation to throat, lungs and nose. Prolonged exposure may result in dizziness and nausea.

EFFECTS OF OVEREXPOSURE - INGESTION: May result in nausea/intestinal discomfort, vomiting, diarrhea.

EFFECTS OF OVEREXPOSURE - SENSITIZATION PROPERTIES: Unknown.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: Dermatitis, lung inflammation.

CONDITIONS AGGRAVATED BY EXPOSURE: May aggravate existing skin, eye and lung conditions.

## SECTION 4 - FIRST AID MEASURES

INHALATION: If inhaled, remove to fresh air. If not breathing, clear person's airway and give artificial respiration. If breathing is difficult, medical personnel may administer oxygen. Get medical attention at once.

SKIN: Remove contaminated clothing and launder before reuse. Wash effected area with soap and water for at least 15 minutes or until all traces of material are removed. Get medical attention if skin irritation develops or skin

TRAMFLOC® 1138 contact has been prolonged.

EYES: Immediately flush with plenty of water for at least 15 minutes with eyelids open. Call a physician.

INGESTION: Observe victim for nausea. Consult a physician if conditions persist. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

## **SECTION 5 - FIRE-FIGHTING MEASURES**

IGNITION TEMPERATURE: NA. HMIS rating: Health: 1; Fire: 1; Reactivity: 0; Personal Protection: B

FLASHPOINT: >330° F, PMCC; AUTO IGNITION: > ND; EXPLOSIVE HAZARDS: None.

FLAMMABLE LIMITS % (Lower - Upper): Lower: ND; Upper: ND

RECOMMENDED FIRE EXTINGUISHING AGENTS AND SPECIAL PROCEDURES:

Use water spray, dry chemical, foam or CO<sub>2</sub> to extinguish flames. Keep containers cool.

SPECIAL PROTECTIVE EQUIPMENT: Wear full protective clothing and positive pressure breathing apparatus.

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

PROCEDURES IN CASE OF ACCIDENTAL RELEASE OR LEAKAGE: Contain spill with absorbent materials such as clay and shovel up. Spills are slippery. Clean promptly. Avoid skin and eye contact. Send to an approved landfill. Prevent runoff to streams. Observe local regulations. Use vacuum truck for large spills.

## **SECTION 7 - HANDLING AND STORAGE**

HANDLING: Mix well before using as product stratifies at ambient temperatures.

STORAGE: Periods of exposure to high temperatures should be minimized. Protect from freezing. Water contamination should be avoided.

## **SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION**

PERSONAL PROTECTIVE EQUIPMENT: EYE/FACE PROTECTION: Avoid eye contact. Chemical type goggles, or face shield should be worn.

SKIN PROTECTION: Launder when work clothing is soiled. Workers should wash exposed skin with soap and water. Impervious gloves are recommended.

RESPIRATORY PROTECTION: Airborne concentrations should be kept to lowest levels possible. If vapor, mist, or dust is generated and the occupational exposure limit of the product, or any component of the product, is exceeded, use appropriate NIOSH or MSHA approved air purifying or air supplied respirator after determining the airborne concentration of the contaminant. If concentration is unknown, wear air supplied respirators.

VENTILATION: Adequate to meet component occupational exposure limits.

EXPOSURE LIMIT FOR THE TOTAL PRODUCT: None established.

TRAMFLOC® 1138

## SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE, COLOR and ODOR: hazy amber liquid with hydrocarbon odor.  
pH 7. BOILING POINT: ND MELTING/FREEZING POINT: ND  
WATER SOLUBILITY (%): ND; SPECIFIC GRAVITY: 0.910 @ 25<sup>0</sup> C VAPOR PRESSURE: ND  
VAPOR DENSITY (Air=1): ND VISCOSITY: ND  
VOC CONTENT: ND. SOLUBILITY IN WATER: Dispersable. OTHER: None

## SECTION 10 - STABILITY and REACTIVITY

Normally stable; AVOID strong oxidants; Product will decompose into oxides of carbon.

HAZARDOUS POLYMERIZATIONS: Do not occur. CONDITIONS TO AVOID: None

## SECTION 11A -TOXICOLOGICAL INFORMATION

No data are available as of the revision date of this document.

## SECTION 11B -ECOLOGICAL INFORMATION

Environmental Fate: 5.1 mg/L solution: BOD<sub>5</sub> mg O<sub>2</sub>/g = 265; 25.7 mg/L solution: BOD<sub>5</sub> mg O<sub>2</sub>/g = 115;  
COD mg O<sub>2</sub>/g = 680; % Biodegradability: 5.1 mg/L = 39; % Biodegradability: 25.7 mg/L = 17.

## SECTION 12 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: This product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form. This product is not considered a hazardous waste under 21CFR 261. Under RCRA, it is the responsibility of the user of the product to determine at the time of disposal, whether the product meets RCRA criteria for hazardous wastes. This is because product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous. Use an incinerator at an approved chemical waste facility for disposal. Avoid landfilling liquids. Follow label precautions.

## SECTION 13 - TRANSPORTATION INFORMATION

This product is not a DOT hazardous material and consequently is not regulated.

## SECTION 14 - REGULATORY INFORMATION

### FEDERAL REGULATIONS:

SARA Title III: Section 313: This product does not contain any toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372.

SARA 302 Anand CERCLA Extremely hazardous substances and California Proposition 65 Substances:

Compound	CAS No.	Maximum Concentration, %
Ethylene oxide	75-21-8	0.0050
Polypropylene oxide	75-56-9	0.0100

## TRAMFLOC® 1138

Compound	CAS No.	Maximum Concentration, %
1,4 Dioxane	123-91-1	0.0050
Acetaldehyde	75-07-0	0.0050

States Right-to-Know Regulations: Chemical Name: None State Right-to-Know

State list: CT, FL, IL, MI, LA, MA, NJ, PA, RI, CA

### INTERNATIONAL REGULATIONS:

TSCA INVENTORY STATUS: This product, or its components, are listed on, or are exempt from the Toxic Substance Control Act (TSCA) Chemical Substance Inventory published by the EPA.

WHMIS INVENTORY STATUS: NR

CANADIAN INVENTORY STATUS: This product, or its components, are listed on or are exempt from the Canadian Domestic Substance List (DSL).

EINECS INVENTORY STATUS: This product, or its components, are listed on or are exempt from the EINECS inventory as published by Worksafe Australia.

AUSTRALIAN INVENTORY STATUS: ND

JAPAN INVENTORY STATUS: ND

### ENVIRONMENTAL INFORMATION:

AQUATIC TOXICITY: ND. MOBILITY: ND. PERSISTENCE AND BIODEGRADABILITY: ND.  
POTENTIAL TO BIOACCUMULATE: ND.

### SECTION 16 - OTHER INFORMATION

The information in this data sheet is provided independently of any sale of the product. It is provided for the purpose of hazard communication as part of Tramfloc's product safety program. It is intended only as a guide to the appropriate precautionary handling of the product by a properly trained person. You are encouraged and requested to advise those who may come in contact with such products of the information contained herein. The data relates only to the specific product designated, and does not relate to use of the product in combination with any other material or use of the product in any process. The data is not intended to constitute performance information concerning the product. No express warranty, or implied warranty or merchantability for fitness for a particular purpose is made with respect to the product, its composition, its safety or the information in this data sheet.

To determine the applicability or the effects of law or regulation with respect to the product, the user should consult a legal advisor or the appropriate government agency. Tramfloc, Inc. does not undertake to furnish advice on such matters. No person or organization except a duly authorized Tramfloc, Inc. employee is authorized to provide or make available data sheets for Tramfloc, Inc. Data sheets from unauthorized sources may contain information that is no longer current or accurate. No part of this data sheet may be reproduced or transmitted, in any form, or by any means, without permission in writing from Tramfloc, Inc.